CompactPRO

AFFORDABLE, HIGH-PERFORMANCE Thermal imaging for your smartphone.

KEY CAMERA SPECS

- 320 x 240 Thermal Sensor
 - 32° Field of View
 - -40 to 626F Temperature Range
 - 6 inches to 1,800 feet Distance
 - Works Day & Night
 - Waterproof Carrying Case



CompactPRO is our most advanced thermal imaging camera designed for your smartphone. Made for iPhone® and Android[™] top models, this highlyportable thermal imaging camera features a large, 320x240 thermal sensor with high sensitivity and a wide, 32-degree field of view. Offering adjustable thermal span, level, and emissivity settings, the CompactPRO delivers unprecedented high-resolution thermal imaging and software capabilities available at this price.

Product Name:	Seek CompactPRO
Product Type:	Thermal Imaging Camera Made for Smartphones
Seek CompactPRO Made for iPhone:	UPC: 855753005617 Part Number: LQ-AAAX
Seek CompactPRO Made for Android:	UPC: 855753005631 Part Number: UQ-AAAX
Export Regulations	Subject to US EAR Export Regulations.

Single Unit	
Included in the box:	 Seek CompactPRO Waterproof Carrying Case
Device Dimensions (H x W x D)	1 x 1.75 x 1 inches
Device Weight:	.5 ounces
Box Dimensions (H x W x D)	7 x 3.75 x 1.75 inches
Box Weight:	8.3 ounces
Master Pack	
Included in the Master Pack	80 Units
Master Pack Dimensions	20 x 15 x 16 inches
Master Pack Weight	45 pounds

KEY FEATURES

320 x 240 High-Resolution Thermal Sensor 76,800 temperature pixels for maximum image clarity and sensitivity

Adjustable Emissivity Calibrate for reflective surfaces when accuracy is critical

Wide, 32-Degree Field of View Easily scan a large area to identify potential hazards in seconds

Focusable Lens for Quick Identification Aim and focus from 6 inches to 1,800 feet for the sharpest image

Utilizes the Power and Display of Your Smartphone Intuitive, free mobile app available on Google Play and iTunes App Store

Waterproof Case that Protects Comes with its own waterproof case to withstand the elements

BENEFITS & USES

Connect-and-Detect Convenience Pocket-sized, highly portable, and easy to use

See More Thermal Detail Where You Need it Most Level and span controls let you isolate and capture the details that matter

Accurately Inspect Mechanical and Electrical Equipment Diagnose and assess the problem source quickly

Safely Monitor Hazardous Environments Evaluate potentially dangerous situations from a safe distance

Time of Day Won't Slow You Down Safely examine any job site in daylight or total darkness

Easily Document and Share Record images and video of industrial inspections for accurate documentation

Find Quality Products Online at:

www.GlobalTestSupply.com

sales@GlobalTestSupply.com

CompactPRO



TECHNICAL SUMMARY

SPECIFICATIONS	DESCRIPTION
Thermal Sensor	320 x 240 (76,800 pixels)
Detection Distance	6 inches to 1,800 feet
Field of View	32 Degree FOV
Temperature Range	-40°F to 626°F
Frame Rate	>15 Hz FastFrame
Focus	Adjustable Focus
Lens Material	Chalcogenide
Microbolometer	Vanadium Oxide
Thermal Sensitivity	< 70 mK
Spectral Range	7.5 – 14 Microns
User Interface	Free Seek Thermal Mobile App
Temp. Display Scale	Fahrenheit, Celsius, or Kelvin
Color Palettes	9 Options
Storage Media	Stores Directly to Smartphone
Battery	Low power provided by smartphone (280 mW)
Phone Compatibility	Top iPhone® and Android™ models

MOBILE APP

The free Seek Thermal app allows you to customize your experience, record images and videos directly to your smartphone, and easily share them. Product registration required through app at first-time set up.



USER INTERFACE




PHOTO & VIDEO

Capture and share

thermal photos

and videos



Isolate and capture

the thermal details


that matter




EMISSIVITY

Calibrate for reflective surfaces when accuracy is critical


THERMAL APPLICATIONS




ELECTRICAL INSPECTION



ROOF INSPECTION



INSULATION & HVAC INSPECTION



www.GlobalTestSupply.com

sales@GlobalTestSupply.com